



VINSERVICE®



Pouring your
drinks since
1976

GENERAL CATALOGUE


HIGH EFFICIENCY



	HE 40	HE 60	HE 90	HE 100
compressore compressor compresor	1/4HP	1/4HP	1/3HP	1/3HP
refrigerante coolant gas refrigerante	R404A	R404A	R404A	R404A
potenza power potencia	463w 398Kcal	463w 398Kcal	530w 455Kcal	530w 455Kcal
potenza assorbita absorbed power potencia absorbida	260W	260W	311W	311W
serpentine coils serpentes	1-3 11-5mt	1-4 12-6mt	1-4 17-9mt	1-4 17-9mt
vasca dell'acqua water tank tanque de agua	18lt.	25lt.	36lt.	36lt.
banco di ghiaccio ice bank banco de hielo	9Kg	12Kg	14Kg	14Kg
capacità di raffreddamento cooling capacity capacidad de enfriamiento	40lt. hour	60lt. hour	90lt. hour	100lt. hour
temp. bevanda IN/OUT IN/OUT drink temp. temp. de la bebida IN/OUT	25C° 6C°	25C° 6C°	25C° 6C°	25C° 6C°
erogazione per minuto rate of drink per minute submin. por minuto	2x200 cc	5x200 cc	7x200 cc	8x200 cc
tensione voltage tension	220/240-50hz 110v-60hz 220v-60hz	220/240-50hz 110v-60hz 220v-60hz	220/240-50hz 110v-60hz 220v-60hz	220/240-50hz 110v-60hz 220v-60hz
pompa di ricircolo recirculation pump bomba de recirculación	6/10	8/10 ø37.5	8/13 ø52.5	8/13 ø52.5
peso netto net weight peso neto	25Kg	34Kg	35Kg	35Kg
carrozzeria housing carroceria	steel plast orange or AISI430	steel plast orange or AISI430	steel plast orange or AISI430	steel plast orange or AISI430


DIMENSIONS

height including pump




HE 40
A: 300 mm
B: 600 mm
C: 350 mm

height including pump




HE 60
A: 360 mm
B: 490 mm
C: 560 mm

height including pump



HE 90
A: 390 mm
B: 720 mm
C: 390 mm

height including pump



HE 100
A: 400 mm
B: 490 mm
C: 600 mm

free

VINSERVICE®
ITALY

PROPANE



FREE 60



FREE 90



FREE 100



FREE 120




FREE 140


TECHNICAL DETAILS

	COMPRESSORE COMPRESSOR COMPRESOR	REFRIGERANTE COOLANT REFRIGERANTE	POTENZA IN W - Kcal POTENCIA IN W - Kcal	POTENZA ASSORBITA AGLI SCAMBIA POTENCIA ABSORBIDA	SERPENTINE COILS SERPENTINES	VASCA DELL'ACQUA WATER TANK TANQUE DE AGUA	BANCO DI GHIACCIO ICE BANK BANCO DE HIELO	CAPACITA' DI RAFFREDDAMENTO COOLING CAPACITY CAPACIDAD DE ENFRIAMIENTO	TEMP. BEVANDA IN/OUT IN/OUT TEMP. OF DRINK TEMP. DE LA BEBIDA EN ENTRADA Y SALIDA	EROGAZIONE MINUTO FLOW OF DRINK PER MIN. SUBMIN. POR MINUTO	TENSIONE VOLTAGE TENSION	PESO NETTO NET WEIGHT PESO NETO	CARROZZERIA HOUSING CARROCCERIA
FREE 60	1/4HP	R290A	420w 363Kcal	192w	1-2 12-6mt	25lt.	12 Kg	60lt. hour	25C° 6C°	5x200 cc	220/240-50hz 110v-60hz 220v-60hz	34 kg	steel plast grey or AISI 430
FREE 90	1/3HP	R290A	422w 363Kcal	192w	1-4 17-9mt	36lt.	15 Kg	90lt. hour	25C° 6C°	7x200 cc	220/240-50hz 110v-60hz 220v-60hz	35 kg	steel plast grey or AISI 430
FREE 100	1/3HP	R290A	422w 363Kcal	311w	1-4 17-09mt	36lt.	15 Kg	100lt. hour	25C° 6C°	8x200 cc	220/240-50hz 110v-60hz 220v-60hz	40 kg	steel plast grey or AISI 430
FREE 120	1/2HP	R290A	653w 561Kcal	325w	1-8 22-11mt	50lt.	25 Kg	120lt. hour	25C° 6C°	10x200 cc	220/240-50hz 110v-60hz 220v-60hz	50 kg	steel plast grey or AISI 430
FREE 140	1/2HP	R290A	655w 565Kcal	325w	1-8 22-11mt	50lt.	25 Kg	140lt. hour	25C° 6C°	12x200 cc	220/240-50hz 110v-60hz 220v-60hz	50 kg	steel plast grey or AISI 430


DIMENSIONS




FREE 60
A: 360 mm
B: 490 mm
C: 560 mm




FREE 90
A: 400 mm
B: 720 mm
C: 400 mm



FREE 100
A: 400 mm
B: 490 mm
C: 600 mm



FREE 120
A: 450 mm
B: 800 mm
C: 450 mm



FREE 140
A: 450 mm
B: 530 mm
C: 700 mm

The Height includes pumps



SINCE 1976

VINSERVICE®



VIN SERVICE DISPENSING GROUP

VIA FALCONE 26/34 - 24050 ZANICA (BG) ITALY
PHONE: +39 035 672 361 FAX: +39 035 672 699

INFO@VINSERVICE.IT - WWW.VINSERVICE.IT



VIN SERVICE SI RISERVA IL DIRITTO DI MODIFICARE I PRODOTTI ILLUSTRATI IN QUALSIASI MOMENTO
VIN SERVICE RESERVES THE RIGHT TO CHANGE AT ANY TIME THE PRODUCTS SHOWN

GENERAL CATALOGUE